

**Dykpumpe 1" x 1 1/2" x 1"
slangestuds x udvendig gevind
x slangestuds 1,6A 230VAC
rustfrit stål type IP 550 INOX
(7031120)**



TEKNISKE SPECIFIKATIONER

Type	IP
Materiale impeller 1	noryl
Tilslutning	slangestuds x udvendig gevind x slangestuds
Flyder	inkluderet
Volt	230VAC
Maks. temperatur	35 °C
Maksimal omgivelsestemperatur	40 °C
Farve	rustfrit stål
Pump body	rustfri stål 304
Størrelse	1" x 1 1/2" x 1"
Type	550 INOX
Effekt	0.55 kW
MWC	7
Ampere	1,6 A
Maks. flow rate	10.2 m ³ /h
BEP Capacity	7.2

BEP Head	3.8
----------	-----

PORlh	5.6
-------	-----

PORhh	2
-------	---

PORlq	5.04
-------	------

PORhq	8.64
-------	------



DIMENSIONER

Db	160 mm
----	--------

H-1	70 mm
-----	-------

H-2	345 mm
-----	--------

ØDi-1	1 1/2 "
-------	---------



PRODUKTINFORMATION

Kun til rent vand. Maks. nedsænkingsdybde: 5 meter. 8 meter kabel og DIN stik

Genereret den: 24-02-2026

Bevo Nordic A/S
Pakhusgården 54
5000 Odense C
Danmark
+45 66 19 25 45
info@bevo.dk
<http://www.bevo.com>