

**Hydro-S Butterflyventil PVC-U**  
**200/225 mm flange 10bar**  
**DN200 grå PN10 type 7500**  
**(7014385)**



  
hydro-s

# TEKNISKE SPECIFIKATIONER

|       |     |
|-------|-----|
| Farve | grå |
|-------|-----|

|      |      |
|------|------|
| Type | 7500 |
|------|------|

|           |       |
|-----------|-------|
| Materiale | PVC-U |
|-----------|-------|

|          |         |
|----------|---------|
| Funktion | håndtag |
|----------|---------|

|               |     |
|---------------|-----|
| Håndtagsfarve | blå |
|---------------|-----|

|                  |       |
|------------------|-------|
| Materiale ventil | PVC-U |
|------------------|-------|

|                  |      |
|------------------|------|
| Spindelmateriale | stål |
|------------------|------|

|              |       |
|--------------|-------|
| Materialehus | PP GF |
|--------------|-------|

|                   |      |
|-------------------|------|
| Pakningsmateriale | EPDM |
|-------------------|------|

|             |        |
|-------------|--------|
| Tilslutning | flange |
|-------------|--------|

|        |      |
|--------|------|
| Flange | PN10 |
|--------|------|

|                       |            |
|-----------------------|------------|
| Temperatur rækkevidde | 0°C - 40°C |
|-----------------------|------------|

|           |            |
|-----------|------------|
| Størrelse | 200/225 mm |
|-----------|------------|

|    |     |
|----|-----|
| DN | 200 |
|----|-----|

|        |       |
|--------|-------|
| Bredde | 75 mm |
|--------|-------|

|      |        |
|------|--------|
| Tryk | 10 bar |
|------|--------|

|         |       |
|---------|-------|
| Bolthul | 24 mm |
|---------|-------|

## DIMENSIONER


Ct-1 256 mm

PCD 295 mm

R 335 mm

W-1 75 mm

W-2 115 mm



**Genereret den: 23-02-2026**

Bevo Nordic A/S  
Pakhusgården 54  
5000 Odense C  
Danmark  
+45 66 19 25 45  
[info@bevo.dk](mailto:info@bevo.dk)  
<http://www.bevo.com>