

**Matarvattentank 3/4" x 1"
utvändig gänga 230VAC
BELGAQUA type Combi DSCT
med Minisub & Logicpres Set
(7023565)**



TEKNISKA SPECIFIKATIONER

Typ	Combi DSCT med Minisub & Logicpres Set
-----	--

Godkännande	BELGAQUA
-------------	----------

Tank	270 L
------	-------

Anslutning	utvändig gänga
------------	----------------

Max flow	80 L/min
----------	----------

Volt	230VAC
------	--------

Pump	Lelli Minisub
------	---------------

Max arbetstryck	4,6 bar
-----------------	---------

Kapacitetstryck	3 m ³ /h @ 3 bar
-----------------	-----------------------------

Kontrollenhet pump	Logicpress set
--------------------	----------------

Variabel hastighet	Nej
--------------------	-----

Storlek	3/4" x 1"
---------	-----------

PRODUKTINFORMATION

Large break tank, suitable for floor Installation Flow rate: 3 - 5 m³/h Operating Pressure: 3 - 5 bar
ON/OFF system integrated with dry running protector Integrated Mechanical float Provided with
Multi - Impeller Submersible Pump with Pressure Controller Material Tank: PE

Genererad den: 07/11/2025

Bevo Nordic A/S
Pakhusgården 54
5000 Odense C
Danmark
+45 66 19 25 45
info@bevo.dk
<http://www.bevo.com>