

**Profec 2-delad kulventil
rostfritt stål 316 1 1/2"
invändig gänga 64bar
DIN3202-M3 (7034109)**



TEKNISKA SPECIFIKATIONER

Material	rostfritt stål 316
----------	--------------------

Funktion	handtag
----------	---------

Handtagsfärg	blå
--------------	-----

Handtagsmaterial	rostfritt stål
------------------	----------------

Hus konstruktion	2-delt
------------------	--------

Materialhus	rostfritt stål 316
-------------	--------------------

Packningsmaterial	PFTE
-------------------	------

Anslutning	invändig gänga
------------	----------------

Packning	
----------	--

DIN Standard	DIN3202-M3
--------------	------------

Flow	full
------	------

Temperatur intervall	-10°C - 150°C
----------------------	---------------

Tryck	64 bar
-------	--------

Storlek	1 1/2"
---------	--------

DIMENSIONER

Ct-1	82 mm
------	-------

F-1 19 mm

F-2 19 mm


Lb 120 mm

R 145 mm

ØDf 38 mm

ØDi-1 1 1/2 "

ØDi-2 1 1/2 "



Genererad den: 24/02/2026

Bevo Nordic A/S
Pakhusgården 54
5000 Odense C
Danmark
+45 66 19 25 45
info@bevo.dk
<http://www.bevo.com>